

#### INTRODUCTION

The CompTIA Network+ certification is an internationally recognized validation of the technical knowledge required of foundation-level IT network practitioners.

Test Purpose: This exam will certify that the successful candidate has the knowledge and skills required to troubleshoot, configure, and manage common network wireless and wired devices, establish basic network design and connectivity, understand and maintain network documentation, identify network limitations and weaknesses, and implement network security, standards, and protocols. The candidate will have a basic understanding of emerging technologies including unified communications, mobile, cloud, and virtualization technologies.

CompTIA Network+ is accredited by ANSI to show compliance with the ISO 17024 Standard and, as such, undergoes regular reviews and updates to the exam objectives.

It is recommended for CompTIA Network+ candidates to have the following:

- CompTIA A+ certification or equivalent knowledge, though CompTIA A+ certification is not required.
- Have at least 9 to 12 months of work experience in IT networking.

The table below lists the domains measured by this examination and the extent to which they are represented. CompTIA Network+ exams are based on these objectives.

| Domain  | % of Examination |
|---|------------------|
| 1.0 Network architecture                              | 22%              |
| 2.0 Network operations                                | 20%              |
| 3.0 Network security                                  | 18%              |
| 4.0 Troubleshooting                                   | 24%              |
| 5.0 Industry standards, practices, and network theory | 16%              |
| Total   | 100%             |

### CompTIA Authorized Materials Use Policy

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse or condone utilizing any content provided by unauthorized third-party training sites, aka 'brain dumps'. Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the CompTIA Certification Exam Policies webpage: <a href="http://certification.comptia.org/Training/testingcenters/policies.aspx">http://certification.comptia.org/Training/testingcenters/policies.aspx</a>

Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the CompTIA Candidate Agreement (<a href="http://certification.comptia.org/Training/testingcenters/policies/agreement.aspx">http://certification.comptia.org/Training/testingcenters/policies/agreement.aspx</a>) at the time of exam delivery.

If a candidate has a question as to whether study materials are considered unauthorized (aka brain dumps), he/she should perform a search using CertGuard's engine, found here:

http://www.certguard.com/search.asp

Or verify against this list:

http://certification.comptia.org/Training/testingcenters/policies/unauthorized.aspx

\*\*Note: The lists of examples provided in bulleted format below each objective are not exhaustive lists. Other examples of technologies, processes or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document.

CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.

(A list of acronyms used in these objectives appears at the end of this document.)

## 1.0 Network architecture

- 1.1 Explain the functions and applications of various network devices
  - Router
  - Switch
  - Multilayer switch
  - Firewall
  - HIDS
  - IDS/IPS
  - Access point (wireless/wired)
  - Content filter
  - Load balancer
  - Hub
  - Analog modem
  - Packet shaper
  - VPN concentrator
- 1.2 Compare and contrast the use of networking services and applications
  - VPN
    - Site to site/host to site/host to host
    - o Protocols
      - IPsec
      - GRE
      - SSL VPN
      - PTP/PPTP
  - TACACS/RADIUS
  - RAS
  - Web services
  - Unified voice services
  - Network controllers
- 1.3 Install and configure the following networking services/applications
  - DHCP
    - o Static vs dynamic IP addressing
    - o Reservations
    - Scopes
    - Leases
    - Options (DNS servers, suffixes)
    - o IP helper/DHCP relay
  - DNS
    - DNS servers
    - o DNS records (A, MX, AAAA, CNAME, PTR)
    - Dynamic DNS

- Proxy/reverse proxy
- NAT
  - o PAT
  - o SNAT
  - o DNAT
- Port forwarding
- 1.4 Explain the characteristics and benefits of various WAN technologies
  - Fiber
    - SONET
    - o DWDM
    - o CWDM
  - Frame relay
  - Satellite
  - Broadband cable
  - DSL/ADSL
  - ISDN
  - ATM
  - PPP/Multilink PPP
  - MPLS
  - GSM/CDMA
    - o LTE/4G
    - o HSPA+
    - o 3G
    - o Edge
  - Dialup
  - WiMAX
  - Metro-Ethernet
  - Leased lines
    - o T-1
    - o T-3
    - o E-1
    - o E-3
    - o OC3
    - o OC12
  - Circuit switch vs packet switch
- 1.5 Install and properly terminate various cable types and connectors using appropriate tools
  - Copper connectors
    - o RJ-11
    - o RJ-45
    - o RJ-48C
    - o DB-9/RS-232
    - o DB-25

- o UTP coupler
- o BNC coupler
- o BNC
- o F-connector
- o 110 block
- o 66 block
- Copper cables
  - o Shielded vs unshielded
  - o CAT3, CAT5, CAT5e, CAT6, CAT6a
  - o PVC vs plenum
  - o RG-59
  - o RG-6
  - Straight-through vs crossover vs rollover
- Fiber connectors
  - $\circ$  ST
  - o SC
  - o LC
  - o MTRJ
  - o FC
  - Fiber coupler
- Fiber cables
  - Single mode
  - o Multimode
  - o APC vs UPC
- Media converters
  - Single mode fiber to Ethernet
  - Multimode fiber to Ethernet
  - Fiber to coaxial
  - Single mode to multimode fiber
- Tools
  - Cable crimpers
  - o Punch down tool
  - Wire strippers
  - o Snips
  - o OTDR
  - Cable certifier
- 1.6 Differentiate between common network topologies
  - Mesh
    - o Partial
    - o Full
  - Bus
  - Ring
  - Star
  - Hybrid

- Point-to-point
- Point-to-multipoint
- Client-server
- Peer-to-peer
- 1.7 Differentiate between network infrastructure implementations
  - WAN
  - MAN
  - LAN
  - WLAN
    - o Hotspot
  - PAN
    - o Bluetooth
    - o IR
    - o NFC
  - SCADA/ICS
    - o ICS server
    - DCS/closed network
    - o Remote terminal unit
    - o Programmable logic controller
  - Medianets
    - o VTC
      - ISDN
      - IP/SIP
- 1.8 Given a scenario, implement and configure the appropriate addressing schema
  - IPv6
    - Auto-configuration
      - EUI 64
    - o DHCP6
    - Link local
    - o Address structure
    - o Address compression
    - o Tunneling 6to4, 4to6
      - Teredo, miredo
  - IPv4
    - Address structure
    - o Subnetting
    - o APIPA
    - o Classful A, B, C, D
    - o Classless
  - Private vs public
  - NAT/PAT
  - MAC addressing
  - Multicast

- Unicast
- Broadcast
- Broadcast domains vs collision domains
- 1.9 Explain the basics of routing concepts and protocols
  - Loopback interface
  - Routing loops
  - Routing tables
  - Static vs dynamic routes
  - Default route
  - Distance vector routing protocols
    - o RIP v2
  - Hybrid routing protocols
    - o BGP
  - Link state routing protocols
    - o OSPF
    - o IS-IS
  - Interior vs exterior gateway routing protocols
  - Autonomous system numbers
  - Route redistribution
  - High availability
    - o VRRP
    - o Virtual IP
    - o HSRP
  - Route aggregation
  - Routing metrics
    - Hop counts
    - o MTU, bandwidth
    - Costs
    - Latency
    - o Administrative distance
    - o SPB
- 1.10 Identify the basics elements of unified communication technologies
  - VoIP
  - Video
  - Real time services
    - o Presence
    - Multicast vs unicast
  - QoS
    - o DSCP
    - o COS
  - Devices
    - UC servers

- o UC devices
- o UC gateways
- 1.11 Compare and contrast technologies that support cloud and virtualization
  - Virtualization
    - Virtual switches
    - Virtual routers
    - Virtual firewall
    - Virtual vs physical NICs
    - o Software defined networking
  - Storage area network
    - o iSCSI
    - o Jumbo frame
    - Fiber channel
    - Network attached storage
  - Cloud concepts
    - o Public IaaS, SaaS, PaaS
    - o Private IaaS, SaaS, PaaS
    - o Hybrid IaaS, SaaS, PaaS
    - o Community IaaS, SaaS, PaaS
- 1.12 Given a set of requirements, implement a basic network
  - List of requirements
  - Device types/requirements
  - Environment limitations
  - Equipment limitations
  - Compatibility requirements
  - Wired/wireless considerations
  - Security considerations

## 2.0 Network operations

- 2.1 Given a scenario, use appropriate monitoring tools
  - Packet/network analyzer
  - Interface monitoring tools
  - Port scanner
  - Top talkers/listeners
  - SNMP management software
    - o Trap
    - o Get
    - o Walk
    - o MIBS
  - Alerts
    - o Email
    - o SMS

- Packet flow monitoring
- SYSLOG
- SIEM
- Environmental monitoring tools
  - o Temperature
  - o Humidity
- Power monitoring tools
- Wireless survey tools
- Wireless analyzers
- 2.2 Given a scenario, analyze metrics and reports from monitoring and tracking performance tools
  - Baseline
  - Bottleneck
  - Log management
  - Graphing
  - Utilization
    - o Bandwidth
    - Storage
    - o Network device CPU
    - Network device memory
    - Wireless channel utilization
  - Link status
  - Interface monitoring
    - Errors
    - o Utilization
    - o Discards
    - Packet drops
    - o Interface resets
    - Speed and duplex
- 2.3 Given a scenario, use appropriate resources to support configuration management
  - Archives/backups
  - Baselines
  - On-boarding and off-boarding of mobile devices
  - NAC
  - Documentation
    - Network diagrams (logical/physical)
    - Asset management
    - o IP address utilization
    - Vendor documentation
    - o Internal operating procedures/policies/standards
- 2.4 Explain the importance of implementing network segmentation
  - SCADA systems/Industrial control systems

- Legacy systems
- Separate private/public networks
- Honeypot/honeynet
- Testing lab
- Load balancing
- Performance optimization
- Security
- Compliance
- 2.5 Given a scenario, install and apply patches and updates
  - OS updates
  - Firmware updates
  - Driver updates
  - Feature changes/updates
  - Major vs minor updates
  - Vulnerability patches
  - Upgrading vs downgrading
    - Configuration backup
- 2.6 Given a scenario, configure a switch using proper features
  - VLAN
    - Native VLAN/Default VLAN
    - VTP
  - Spanning tree (802.1d)/rapid spanning tree (802.1w)
    - Flooding
    - o Forwarding/blocking
    - Filtering
  - Interface configuration
    - o Trunking/802.1q
    - o Tag vs untag VLANs
    - Port bonding (LACP)
    - o Port mirroring (local vs remote)
    - Speed and duplexing
    - o IP address assignment
    - VLAN assignment
  - Default gateway
  - PoE and PoE+ (802.3af, 802.3at)
  - Switch management
    - User/passwords
    - o AAA configuration
    - o Console
    - Virtual terminals
    - o In-band/Out-of-band management
  - Managed vs unmanaged

- 2.7 Install and configure wireless LAN infrastructure and implement the appropriate technologies in support of wireless capable devices
  - Small office/home office wireless router
  - Wireless access points
    - Device density
    - o Roaming
    - Wireless controllers
      - VLAN pooling
      - LWAPP
  - Wireless bridge
  - Site surveys
    - Heat maps
  - Frequencies
    - o 2.4 Ghz
    - o 5.0 Ghz
  - Channels
  - Goodput
  - Connection types
    - o 802.11a-ht
    - o 802.11g-ht
  - Antenna placement
  - Antenna types
    - o Omnidirectional
    - Unidirectional
  - MIMO/MUMIMO
  - Signal strength
    - o Coverage
    - o Differences between device antennas
  - SSID broadcast
  - Topologies
    - Adhoc
    - Mesh
    - o Infrastructure
  - Mobile devices
    - o Cell phones
    - o Laptops
    - o Tablets
    - o Gaming devices
    - Media devices

# 3.0 Network security

- 3.1 Compare and contrast risk related concepts
  - Disaster recovery
  - Business continuity

- Battery backups/UPS
- First responders
- Data breach
- End user awareness and training
- Single point of failure
  - Critical nodes
  - Critical assets
  - Redundancy
- Adherence to standards and policies
- Vulnerability scanning
- Penetration testing

### 3.2 Compare and contrast common network vulnerabilities and threats

- Attacks/threats
  - Denial of service
    - Distributed DoS
      - Botnet
      - Traffic spike
      - Coordinated attack
    - Reflective/amplified
      - DNS
      - NTP
      - Smurfing
    - Friendly/unintentional DoS
    - Physical attack
      - Permanent DoS
  - o ARP cache poisoning
  - Packet/protocol abuse
  - Spoofing
  - Wireless
    - Evil twin
    - Rogue AP
    - War driving
    - War chalking
    - vv ar Charking
    - Bluejacking
    - Bluesnarfing
    - WPA/WEP/WPS attacks
  - Brute force
  - Session hijacking
  - Social engineering
  - o Man-in-the-middle
  - VLAN hopping
  - Compromised system
  - o Effect of malware on the network
  - Insider threat/malicious employee

- Zero day attacks
- Vulnerabilities
  - Unnecessary running services
  - Open ports
  - o Unpatched/legacy systems
  - Unencrypted channels
  - Clear text credentials
  - Unsecure protocols
    - TELNET
    - HTTP
    - SLIP
    - FTP
    - TFTP
    - SNMPv1 and SNMPv2
  - TEMPEST/RF emanation
- 3.3 Given a scenario, implement network hardening techniques
  - Anti-malware software
    - Host-based
    - o Cloud/server-based
    - Network-based
  - Switch port security
    - o DHCP snooping
    - o ARP inspection
    - o MAC address filtering
    - VLAN assignments
      - Network segmentation
  - Security policies
  - Disable unneeded network services
  - Use secure protocols
    - o SSH
    - o SNMPv3
    - o TLS/SSL
    - o SFTP
    - o HTTPS
    - o IPsec
  - Access lists
    - Web/content filtering
    - Port filtering
    - o IP filtering
    - Implicit deny
  - Wireless security
    - o WEP
    - o WPA/WPA2
      - Enterprise
      - Personal

- TKIP/AES
- o 802.1x
- o TLS/TTLS
- MAC filtering
- User authentication
  - o CHAP/MSCHAP
  - o PAP
  - o EAP
  - Kerberos
  - o Multifactor authentication
  - Two-factor authentication
  - o Single sign-on
- Hashes
  - o MD5
  - o SHA
- 3.4 Compare and contrast physical security controls
  - Mantraps
  - Network closets
  - Video monitoring
    - o IP cameras/CCTVs
  - Door access controls
  - Proximity readers/key fob
  - Biometrics
  - Keypad/cypher locks
  - Security guard
- 3.5 Given a scenario, install and configure a basic firewall
  - Types of firewalls
    - Host-based
    - Network-based
    - Software vs hardware
    - Application aware/context aware
    - o Small office/home office firewall
    - Stateful vs stateless inspection
    - o UTM
  - Settings/techniques
    - o ACL
    - Virtual wire vs routed
    - o DMZ
    - Implicit deny
    - o Block/allow
      - Outbound traffic
      - Inbound traffic
    - Firewall placement
      - Internal/external

- 3.6 Explain the purpose of various network access control models
  - 802.1x
  - Posture assessment
  - Guest network
  - Persistent vs non-persistent agents
  - Ouarantine network
  - Edge vs access control
- 3.7 Summarize basic forensic concepts
  - First responder
  - Secure the area
    - o Escalate when necessary
  - Document the scene
  - eDiscovery
  - Evidence/data collection
  - Chain of custody
  - Data transport
  - Forensics report
  - Legal hold

## 4.0 Troubleshooting

- 4.1 Given a scenario, implement the following network troubleshooting methodology
  - Identify the problem
    - o Gather information
    - o Duplicate the problem, if possible
    - o Question users
    - o Identify symptoms
    - o Determine if anything has changed
    - o Approach multiple problems individually
  - Establish a theory of probable cause
    - Question the obvious
    - o Consider multiple approaches
      - Top-to-bottom/bottom-to-top OSI model
      - Divide and conquer
  - Test the theory to determine cause
    - Once theory is confirmed, determine next steps to resolve problem
    - o If theory is not confirmed, re-establish new theory or escalate
  - Establish a plan of action to resolve the problem and identify potential effects
  - Implement the solution or escalate as necessary
  - Verify full system functionality and if applicable implement preventative measures
  - Document findings, actions, and outcomes

- 4.2 Given a scenario, analyze and interpret the output of troubleshooting tools
  - Command line tools
    - o ipconfig
    - o netstat
    - o ifconfig
    - o ping/ping6/ping -6
    - o tracert/tracert -6/traceroute6/traceroute -6
    - o nbtstat
    - o nslookup
    - o arp
    - o mac address lookup table
    - o pathping
  - Line testers
  - Certifiers
  - Multimeter
  - Cable tester
  - Light meter
  - Toner probe
  - Speed test sites
  - Looking glass sites
  - WiFi analyzer
  - Protocol analyzer
- 4.3 Given a scenario, troubleshoot and resolve common wireless issues
  - Signal loss
  - Interference
  - Overlapping channels
    - Mismatched channels
  - Signal-to-noise ratio
  - Device saturation
  - Bandwidth saturation
  - Untested updates
  - Wrong SSID
  - Power levels
  - Open networks
  - Rogue access point
  - Wrong antenna type
  - Incompatibilities
  - Wrong encryption
  - Bounce
  - MIMO
  - AP placement
  - AP configurations
    - o LWAPP
    - Thin vs thick

- Environmental factors
  - Concrete walls
  - Window film
  - Metal studs
- Wireless standard related issues
  - Throughput
  - Frequency
  - o Distance
  - o Channels
- 4.4 Given a scenario, troubleshoot and resolve common copper cable issues
  - Shorts
  - Opens
  - Incorrect termination (mismatched standards)
    - o Straight-through
    - Crossover
  - Cross-talk
    - o Near end
    - o Far end
  - EMI/RFI
  - Distance limitations
  - Attenuation/Db loss
  - Bad connector
  - Bad wiring
  - Split pairs
  - Tx/Rx reverse
  - Cable placement
  - Bad SFP/GBIC cable or transceiver
- 4.5 Given a scenario, troubleshoot and resolve common fiber cable issues
  - Attenuation/Db loss
  - SFP/GBIC cable mismatch
  - Bad SFP/GBIC cable or transceiver
  - Wavelength mismatch
  - Fiber type mismatch
  - Dirty connectors
  - Connector mismatch
  - Bend radius limitations
  - Distance limitations
- 4.6 Given a scenario, troubleshoot and resolve common network issues
  - Incorrect IP configuration/default gateway
  - Broadcast storms/switching loop
  - Duplicate IP
  - Speed and duplex mismatch

- End-to-end connectivity
- Incorrect VLAN assignment
- Hardware failure
- Misconfigured DHCP
- Misconfigured DNS
- Incorrect interface/interface misconfiguration
- Cable placement
- Interface errors
- Simultaneous wired/wireless connections
- Discovering neighboring devices/nodes
- Power failure/power anomalies
- MTU/MTU black hole
- Missing IP routes
- NIC teaming misconfiguration
  - o Active-active vs active-passive
  - Multicast vs broadcast
- 4.7 Given a scenario, troubleshoot and resolve common security issues
  - Misconfigured firewall
  - Misconfigured ACLs/applications
  - Malware
  - Denial of service
  - Open/closed ports
  - ICMP related issues
    - o Ping of death
    - Unreachable default gateway
  - Unpatched firmware/OSs
  - Malicious users
    - o Trusted
    - Untrusted users
    - Packet sniffing
  - Authentication issues
    - o TACACS/RADIUS misconfigurations
    - Default passwords/settings
  - Improper access/backdoor access
  - ARP issues
  - Banner grabbing/OUI
  - Domain/local group configurations
  - Jamming
- 4.8 Given a scenario, troubleshoot and resolve common WAN issues
  - Loss of internet connectivity
  - Interface errors
  - Split horizon

- DNS issues
- Interference
- Router configurations
- Customer premise equipment
  - o Smart jack/NIU
  - o Demarc
  - Loopback
  - o CSU/DSU
  - o Copper line drivers/repeaters
- Company security policy
  - o Throttling
  - Blocking
  - o Fair access policy/utilization limits
- Satellite issues
  - Latency

## 5.0 Industry standards, practices, and network theory

- 5.1 Analyze a scenario and determine the corresponding OSI layer
  - Layer 1 Physical
  - Layer 2 Data link
  - Layer 3 Network
  - Layer 4 Transport
  - Layer 5 Session
  - Layer 6 Presentation
  - Layer 7 Application
- 5.2 Explain the basics of network theory and concepts
  - Encapsulation/de-encapsulation
  - Modulation techniques
    - Multiplexing
    - De-multiplexing
    - o Analog and digital techniques
    - o TDM
  - Numbering systems
    - Binary
    - Hexadecimal
    - o Octal
  - Broadband/base band
  - Bit rates vs baud rate
  - Sampling size
  - CDMA/CD and CSMA/CA
  - Carrier detect/sense
  - Wavelength

- TCP/IP suite
  - o ICMP
  - o UDP
  - o TCP
- Collision
- 5.3 Given a scenario, deploy the appropriate wireless standard
  - 802.11a
  - 802.11b
  - 802.11g
  - 802.11n
  - 802.11ac
- 5.4 Given a scenario, deploy the appropriate wired connectivity standard
  - Ethernet standards
    - o 10BaseT
    - o 100BaseT
    - o 1000BaseT
    - o 1000BaseTX
    - o 10GBaseT
    - o 100BaseFX
    - o 10Base2
    - o 10GBaseSR
    - o 10GBaseER
    - o 10GBaseSW
    - o IEEE 1901-2013
      - Ethernet over HDMI
      - Ethernet over power line
  - Wiring standards
    - EIA/TIA 568A/568B
  - Broadband standards
    - o DOCSIS
- 5.5 Given a scenario, implement the appropriate policies or procedures
  - Security policies
    - Consent to monitoring
  - Network policies
  - Acceptable use policy
  - Standard business documents
    - o SLA
    - o MOU
    - o MLA
    - o SOW
- 5.6 Summarize safety practices
  - Electrical safety

- Grounding
- ESD
  - Static
- Installation safety
  - Lifting equipment
  - Rack installation
  - o Placement
  - Tool safety
- MSDS
- Emergency procedures
  - o Building layout
  - o Fire escape plan
  - o Safety/emergency exits
  - o Fail open/fail close
  - o Emergency alert system
- Fire suppression systems
- HVAC
- 5.7 Given a scenario, install and configure equipment in the appropriate location using best practices
  - Intermediate distribution frame
  - Main distribution frame
  - Cable management
    - o Patch panels
  - Power management
    - Power converters
    - Circuits
    - o UPS
    - o Inverters
    - o Power redundancy
  - Device placement
  - Air flow
  - Cable trays
  - Rack systems
    - Server rail racks
    - o Two-post racks
    - Four-post racks
    - o Free-standing racks
  - Labeling
    - Port labeling
    - System labeling
    - o Circuit labeling
    - Naming conventions
    - o Patch panel labeling
  - Rack monitoring

- Rack security
- 5.8 Explain the basics of change management procedures
  - Document reason for a change
  - Change request
    - Configuration procedures
    - Rollback process
    - o Potential impact
    - Notification
  - Approval process
  - Maintenance window
    - Authorized downtime
  - Notification of change
  - Documentation
    - Network configurations
    - o Additions to network
    - Physical location changes
- 5.9 Compare and contrast the following ports and protocols
  - 80 HTTP
    443 HTTPS
    137-139 Netbios
    110 POP
    143 IMAP
  - 143 IMAP25 SMTP
  - 5060/5061 SIP
  - 2427/2727 MGCP
  - 5004/5005 RTP
  - 1720 H.323
  - TCP
    - o Connection-oriented
  - UDP
    - Connectionless
- 5.10 Given a scenario, configure and apply the appropriate ports and protocols

| • | 20,21 | FTP    |
|---|-------|--------|
| • | 161   | SNMP   |
| • | 22    | SSH    |
| • | 23    | Telnet |
| • | 53    | DNS    |
| • | 67,68 | DHCP   |
| • | 69    | TFTP   |
| • | 445   | SMB    |
| • | 3389  | RDP    |

23 of 33

### Network+ Acronym List

Address A

**AAA** Authentication Authorization and Accounting

**AAAA** Authentication, Authorization, Accounting and Address

**ACL** Access Control List

**ADSL** Asymmetric Digital Subscriber Line **AES** Advanced Encryption Standard

**Authentication Header** AH

AP **Access Point** 

**APC** Angle Polished Connector

**APIPA** Automatic Private Internet Protocol Addressing

**APT Advanced Persistent Protocol** 

**ARIN** American Registry for Internet Numbers

**ARP** Address Resolution Protocol

AS Autonomous System

**ASIC Application Specific Integrated Circuit** 

**ASP Application Service Provider ATM** Asynchronous Transfer Mode

**AUP** Acceptable Use Policy **BERT Bit-Error Rate Test** 

**BGP Border Gateway Protocol BLE** Bluetooth Low Energy

British Naval Connector/Bayonet Niell-Concelman **BNC** 

**BootP** Boot Protocol/Bootstrap Protocol

**BPDU** Bridge Protocol Data Unit

**Basic Rate Interface** BRI

**BSSID** Basic Service Set Identifier **CAM** Channel Access Method **CAN** Campus Area Network

**CARP** Common Address Redundancy Protocol

**CAT** Computer and Telephone

**CCTV** Closed Circuit TV

**CDMA Code Division Multiple Access** 

Carrier Sense Multiple Access/Collision Detection CDMA/CD **CHAP** Challenge Handshake Authentication Protocol

**CIDR** Classless Inter Domain Routing

**CNAME** Canonical Name **COS** Class of Service

**CPU** Central Processing Unit

CRAM-Challenge-Response Authentication Mechanism–Message Digest 5

CompTIA Network+ Certification Exam Objectives

24 of 33

CSMA/CA Carrier Sense Multiple Access/Collision Avoidance

CSU Channel Service Unit

CWDM Course Wave Division Mutliplexing

dB Decibels

DCS Distributed Computer System
DDoS Distributed Denial of Service

DHCP Dynamic Host Configuration Protocol

DLC Data Link Control
DLP Data Leak Prevention
DMZ Demilitarized Zone

DNAT Destination Network Address Translation

DNS Domain Name Service/Domain Name Server/Domain Name System

DOCSIS Data-Over-Cable Service Interface Specification

DoS Denial of Service

DSCP Differentiated Services Code Point

DSL Digital Subscriber Line

DSSS Direct Sequence Spread Spectrum

DSU Data Service Unit

DWDM Dense Wavelength Division Multiplexing

E1 E-Carrier Level 1

EAP Extensible Authentication Protocol EDNS Extension Mechanisms for DNS

EGP Exterior Gateway Protocol

EIA/TIA Electronic Industries Alliance/Telecommunication Industries

Association

EMI Electromagnetic Interference

ESD Electrostatic Discharge

ESP Encapsulated Security Packets
ESSID Extended Service Set Identifier
EUI Extended Unique Identifier

FC Fibre Channel

FDM Frequency Division Multiplexing
FHSS Frequency Hopping Spread Spectrum

FM Frequency Modulation

FQDN Fully Qualified Domain Name

FTP File Transfer Protocol

FTPS File Transfer Protocol Security
GBIC Gigabit Interface Converter

Gbps Gigabits per second GPG GNU Privacy Guard

GRE Generic Routing Encapsulation

GSM Global System for Mobile Communications

HDLC High-Level Data Link Control

HDMI High Definition Mutlimedia Interface

HIDS Host Intrusion Detection System
HIPS Host Intrusion Prevention System

HSPA High-Speed Packet Access
HSRP Hot Standby Router Protocol

HT High Throughput

HTTP Hypertext Transfer Protocol

HTTPS Hypertext Transfer Protocol Secure

HVAC Heating, Ventilation and Air Conditioning

Hz Hertz

IaaS Infrastructure as a Service

IANA Internet Assigned Numbers Authority
ICA Independent Computer Architecture

ICANN Internet Corporation for Assigned Names and Numbers

ICMP Internet Control Message Protocol

ICS Internet Connection Sharing/Industrial Control System

IDF Intermediate Distribution Frame IDS Intrusion Detection System

IEEE Institute of Electrical and Electronics Engineers

IGMP Internet Group Multicast Protocol

IGP Interior Gateway Protocol IKE Internet Key Exchange

IMAP4 Internet Message Access Protocol version 4

InterNIC Internet Network Information Center

IP Internet Protocol

IPS Intrusion Prevention System
IPsec Internet Protocol Security
IPv4 Internet Protocol version 4
IPv6 Internet Protocol version 6

ISAKMP Internet Security Association and Key Management Protocol

ISDN Integrated Services Digital Network

IS-IS Intermediate System to Intermediate System

ISP Internet Service Provider IT Information Technology

ITS Intelligent Transportation System

IV Initialization Vector
Kbps Kilobits per second
KVM Keyboard Video Mouse
L2F Layer 2 Forwarding

L2TP Layer 2 Tunneling Protocol

LACP Link Aggregation Control Protocol

LAN Local Area Network LC Local Connector

LDAP Lightweight Directory Access Protocol

LEC Local Exchange Carrier
LED Light Emitting Diode
LLC Logical Link Control
LTE Long Term Evolution

LWAPP Light Weight Access Point Protocol

MAC Media Access Control/Medium Access Control

MAN Metropolitan Area Network

Mbps Megabits per second
MBps Megabytes per second
MDF Main Distribution Frame
MDI Media Dependent Interface

MDIX Media Dependent Interface Crossover
MGCP Media Gateway Control Protocol
MIB Management Information Base
MIBS Management Information Bases
MIMO Multiple Input, Multiple Output
MLA Master License Agreement

MMF Multimode Fiber

MOU Memorandum of Understanding MPLS Multi-Protocol Label Switching

MS-CHAP Microsoft Challenge Handshake Authentication Protocol

MSDS Material Safety Data Sheet

MT-RJ Mechanical Transfer-Registered Jack

MTU Maximum Transmission Unit

MUMIMO Multiuser Multiple Input, Multiple Output

MX Mail Exchanger

NAC Network Access Control
NAS Network Attached Storage
NAT Network Address Translation
NCP Network Control Protocol

NetBEUI Network Basic Input/Output Extended User Interface

NetBIOS Network Basic Input/Output System

NFS Network File Service NIC Network Interface Card

NIDS Network Intrusion Detection System
NIPS Network Intrusion Prevention System

CompTIA Network+ Certification Exam Objectives

NIU Network Interface Unit

nm Nanometer

NNTP Network News Transport Protocol

NTP Network Time Protocol

OCx Optical Carrier
OS Operating Systems

OSI Open Systems Interconnect OSPF Open Shortest Path First

OTDR Optical Time Domain Reflectometer
OUI Organizationally Unique Identifier

PaaS Platform as a Service
PAN Personal Area Network

PAP Password Authentication Protocol

PAT Port Address Translation
PC Personal Computer
PDU Protocol Data Unit
PGP Pretty Good Privacy

PKI Public Key Infrastructure

PoE Power over Ethernet POP Post Office Protocol

POP3 Post Office Protocol version 3 POTS Plain Old Telephone System

PPP Point-to-Point Protocol

PPPoE Point-to-Point Protocol over Ethernet
PPTP Point-to-Point Tunneling Protocol

PRI Primary Rate Interface

PSK Pre-Shared Key

PSTN Public Switched Telephone Network

PTP Point-to-Point

PTR Pointer

PVC Permanent Virtual Circuit

QoS Quality of Service

RADIUS Remote Authentication Dial-In User Service

RARP Reverse Address Resolution Protocol

RAS Remote Access Service RDP Remote Desktop Protocol

RF Radio Frequency

RFI Radio Frequency Interference

RG Radio Guide

RIP Routing Internet Protocol

RJ Registered Jack

CompTIA Network+ Certification Exam Objectives

RSA Rivest, Shamir, Adelman

RSH Remote Shell

RTP Real Time Protocol

RTSP Real Time Streaming Protocol

RTT Round Trip Time or Real Transfer Time

SA Security Association
SaaS Software as a Service

SC Standard Connector/Subscriber Connector SCADA Supervisory Control and Data Acquisition

SCP Secure Copy Protocol

SDLC Software Development Life Cycle SDP Session Description Protocol

SDSL Symmetrical Digital Subscriber Line

SFP Small Form-factor Pluggable
SFTP Secure File Transfer Protocol
SGCP Simple Gateway Control Protocol

SHA Secure Hash Algorithm

SIEM Security Information and Event Management

SIP Session Initiation Protocol
SLA Service Level Agreement
SLIP Serial Line Internet Protocol

SMF Single Mode Fiber SMS Short Message Service

SMTP Simple Mail Transfer Protocol

SNAT Static Network Address Translation/Source Network Address

SNMP Simple Network Management Protocol

SNTP Simple Network Time Protocol

SOA Start of Authority

SOHO Small Office/Home Office SONET Synchronous Optical Network

SOW Statement of Work
SPB Shortest Path Bridging
SPI Stateful Packet Inspection
SPS Standby Power Supply

SSH Secure Shell

SSID Service Set Identifier
SSL Secure Sockets Layer
ST Straight Tip or Snap Twist

STP Spanning Tree Protocol / Shielded Twisted Pair

SVC Switched Virtual Circuit

SYSLOG System Log

T1 Terrestrial Carrier Level 1

TA Terminal Adaptor

**TACACS** Terminal Access Control Access Control System TACACS+ Terminal Access Control Access Control System+

**TCP Transmission Control Protocol** 

TCP / IP Transmission Control Protocol/Internet Protocol

**TDM** Time Division Multiplexing TDR Time Domain Reflectometer

Telco Telephone Company

**TFTP** Trivial File Transfer Protocol **TKIP** Temporal Key Integrity Protocol

TLS Transport Layer Security

**TMS** Transportation Management System

TOS Type of Service TTL Time to Live

**TTLS Tunneled Transport Layer Security** 

UC **Unified Communications** UDP User Datagram Protocol

**UNC Universal Naming Convention** UPC Ultra Polished Connector UPS Uninterruptible Power Supply

URL **Uniform Resource Locator** 

**UTM Unified Threat Management** UTP Unshielded Twisted Pair

**VDSL** Variable Digital Subscriber Line **VLAN** Virtual Local Area Network **VNC** Virtual Network Connection

Universal Serial Bus

VoIP Voice over IP

USB

VPN Virtual Private Network

VRRP Virtual Router Redundancy Protocol

VTC Video Teleconference VTP VLAN Trunk Protocol WAN Wide Area Network

WAP Wireless Application Protocol/Wireless Access Point

**WEP** Wired Equivalent Privacy

**WINS** Window Internet Name Service **WLAN** Wireless Local Area Network **WMS** Warehouse Management System

WPA WiFi Protected Access **WPS** WiFi Protected Setup

www World Wide Web

XDSL Extended Digital Subscriber Line XML eXtensible Markup Language

Zeroconf Zero Configuration

## **Network+ Proposed Hardware and Software List**

\*\* CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the Network+ exam. This list may also be helpful for training companies who wish to create a lab component to their training offering. The bulleted lists below each topic are a sample list and not exhaustive.

#### Equipment

- Optical and copper patch panels
- Punch downs blocks (110)
- Layer 3 switch/router
- Layer 2 switch
- Firewall
- VPN concentrator
- DHCP server
- DNS server
- IDS/IPS
- Wireless access point
- Two basic PCs
- Media converters
- Configuration terminal (with telnet and SSH)
- VoIP system (including a phone)
- KVM switch

#### Spare hardware

- NICs
- Power supplies
- GBICs
- SFPs
- Switch
- Hub
- Wireless access point
- UPS

#### Spare parts

- Patch cables
- RJ-45 connectors, modular jacks
- RJ-11 connectors
- Cable spool
- Coaxial cable spool
- F-connectors
- Fiber connectors
- Antennas
- Bluetooth/wireless adapters
- Console cables

### Tools

- Telco/network crimper
- Cable tester
- Punch down tool
- Cable striper
- Coaxial crimper
- Wire cutter
- Tone generator
- Fiber termination kit
- Snips
- Butt set
- Optical power meter

### Software

- Packet sniffer
- Protocol analyzer
- Terminal emulation software
- Linux/Windows OSs
- Software firewall

- Software IDS/IPS
- Network mapper
- Virtual network environment
- WiFi analyzer
- Spectrum analyzer
- Antimalware software
- Network monitoring software

### Other

- Sample network documentation
- Sample logs
- Defective cables
- Sample malware/viruses